

Certificate of Conformity



Device: IN-LINE DETONATION FLAME ARRESTER

Type: PROTEGO DA-G-DN-IIA

flange connection DN	maximum operating pressure bar (abs)
1/2"	1,1
3/4"	1,1
1"	1,1
1 1/4"	1,1

Protective System: GII 94/9/EG

Marking:  II G IIA

Explosion Group: IIA

Max. operating temperature: 60°C

Manufacturer: Braunschweiger Flammenfilter GmbH
Industriestraße 11, 38110 Braunschweig

The above mentioned protective systems are confirmed to be in compliance with the requirement of paragraph 9 of directive 94/9/EC, including all published alterations and amendments according to EC-Certificate of Conformity No.BAM01ATEX0005 X issued on 11.04.2001 by BAM – Bundesanstalt für Materialforschung und -prüfung (German Institute for Material Testing), Berlin – Notified Body, Reg.-No. 0589

Normative References: EN 12874, EN 1127-1

Corresponding documents:

operating instructions,
installation and maintenance
directions

Date 11.04.2001

DA-G-DN-IIA.doc

Braunschweiger Flammenfilter GmbH

Manager Engineering (Leinemann)

Manager Quality Assurance (Schulze)

PROTEGO®, FLAMMENFILTER® und FLAMEFILTER®
are international registered trademarks of
Braunschweiger Flammenfilter GmbH.



DIN-EN-ISO 9001
DIN-ISO 14001

 IIBExU 98
ATEX Q001



ASME VIII.1
U-Stamp

**Braunschweiger
Flammenfilter**



für Sicherheit und Umweltschutz